Proposed Severity Scoring System for Active Mpox

NSTRUCTIONS

For each of the 7 variables (rows), score the person's current status for that variable by placing an "X" in that box.

Scoring:
- For each check box, the score for that variable that equals the Grade (example: 10-100 lesions total is Grade 2 and thus lesions would be score as a "2".
- Sum the scores for each row to get a total severity score (should range 1 – 23) and then enter the value at top of completed form.

MPOX SEVERITY SCORE: _____

Parameter	Grade 0 (0 points)	Grade 1 (1 point)	Grade 2 (2 points)	Grade 3 (3 points)	Grade 4 (4 points)
Active lesion[1] burden, number (total)	0	1-9	10-99	>100	
Lesion burden, extent of body involvement: • Head/neck • Chest/abdomen • Back • Groin/buttocks/anus • Left arm • Left hand • Right arm • Right hand • Left leg • Left foot • Right leg • Right foot	0	1-3	4-6	7-9	10-12
Confluent lesion(s) with diameter $\geq$2 cm	No		Yes		
Treatment for bacterial superinfection	No		Yes		
Mucosal areas affected[2] (4 anatomic locations) • Anorectal • Oropharyngeal • Genital (solely mucosal)[3] • Ocular lesion	0		1 location	2 locations	$\geq$3 locations
Level of care		Outpatient	Inpatient, non-ICU related to Mpox	Inpatient, ICU related to Mpox	Death
Pain, analgesia requirement	No pain meds	Outpatient, OTC pain meds (incl. topical)	Outpatient, prescribed pain meds (incl. topical)	Inpatient, oral pain meds	Inpatient, IV pain meds

Notes:

[1] Document only pox lesions. Healed lesions (scab absent and fresh skin present) should *not* be included. Likewise, rash from erythema multiforme or any other cause should *not* be included.

[2] Includes proctitis, urethritis, oropharyngitis in the absence of lesions

[3] Excludes epithelialized penile shaft, epithelialized vulva, and perineum